

For more information, contact:
Geri Naylor
Senior Public Relations Director
Morton Vardeman & Carlson
geri@vardeman.com
770/536-8921

Lohmann's BTO2 REO Vaccine Protects Against Reovirus, Tenosynovitis & Infectious Bursal Disease

Gainesville, Ga. (Feb. 29, 2008) — Lohmann Animal Health International's BTO2 REO vaccine (KV:7800) is used for the vaccination of breeder hens and replacement pullets as an aid to provide maternal antibodies for early protection of progeny against reovirus-related malabsorption syndrome, tenosynovitis, and type 1 infectious bursal disease, standard and variant strains.

BTO2 REO from Lohmann contains the standard challenge strain and the Delaware variant 1084E strain of Infectious Bursal Disease virus as well as strains of S1133 and 1733 of Avian Reovirus.

The product is available in a 1000-dose bottle for SQ injection of 0.5 ml per does. Birds should be primed with live tenosynovitis virus and bursal disease vaccines at least four weeks prior to the use of this vaccine. Vaccination should take place between 12 and 20 weeks of age. Re-vaccination should occur during molt.

Based in Winslow ME., LAHI is a member of the PHW Group, which comprises 35 companies that produce avian vaccines and poultry for the global market. For more information, contact LAHI at (800) 655-1342 or visit the company's website at www.lahinternational.com.

###